

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

BIBLIOGRAPHY

1. Freeman, A., and Hoffman, R.M. *In vivo*-like growth of human tumors *in vitro*. Proc. Natl. Acad. Sci. USA **83**, 2694-2698, 1986.
2. Vescio, R.A., Redfern, C.H., Nelson, T.J., Ugoretz, S., Stern, P.H., and Hoffman, R.M. *In vivo*-like drug response of human tumors growing in three-dimensional, gel-supported, primary culture. Proc. Natl. Acad. Sci. USA **84**, 5029-5033, 1987.
3. Hoffman, R.M., Connors, K.M., Monosov, A.Z., Herrera, H., and Price, J.H. A general native-state method for determination of proliferation capacity of human normal and tumor tissues *in vitro*. Proc. Natl. Acad. Sci. USA **86**, 2013-2017, 1989.
4. Wallen, J.W., Cate, R.L., Kiefer, D.M., Riemen, M.W., Martinez, D., Hoffman, R.M., Donahoe, P.K., Von Hoff, D.D., Pepinsky, B., and A. Oliff. Minimal antiproliferative effect of recombinant Mullerian Inhibiting Substance on gynecological tumor cell lines and tumor explants. Cancer Res. **49**, 2005-2011, 1989.
5. Vescio, R.A., Connors, K.M., Youngkin, T., Bordin, G.M., Robb, J.A., Umbreit, J.N., and Hoffman, R.M. Cancer biology for individualized cancer therapy: Correlation of growth fraction index in native-state culture with tumor grade and stage. Proc. Natl. Acad. Sci. USA **87**, 691-695, 1990.
6. Vescio, R.A., Connors, K.M., Bordin, G.M., Robb, J.A., Youngkin, T., Umbreit, J.N., and Hoffman, R.M. The distinction of small cell and non-small cell cancer by growth in native-state histoculture. Cancer Res. **50**, 6095-6099, 1990.
7. Robbins, K.T., Varki, N.M., Storniolo, A.M., Hoffman, H., and Hoffman, R.M. Drug response of head and neck tumors in native-state histoculture. Arch. Otolaryngol. Head Neck Surg. **117**, 83-86, 1991.
8. Hoffman, R.M. Three-dimensional gel-supported native-state histoculture for evaluation of tumor-specific pharmacological activity: principles, practices and possibilities. J. Cell. Pharmacol. **2**, 189-201, 1991.
9. Li, L., Hoffman, R.M. Eye tissues grown in 3-dimensional histoculture for toxicological studies. J. Cell. Pharmacol. **2**, 311-316, 1991.
10. Hoffman, R.M. Three-dimensional histoculture: Origins and applications in cancer research. Cancer Cells **3**, 86-92, 1991.
11. Hoffman, R.M. *In vitro* sensitivity assays in cancer: A review, analysis and prognosis. J. Clin. Lab. Anal. **5**, 133-143, 1991.
12. Vescio, R.A., Connors, K.M., Kubota, T., and Hoffman, R.M. Correlation of histology and drug response of human tumors grown in native-state three-dimensional histoculture and in nude mice. Proc. Natl. Acad. Sci. USA **88**, 5163-5166, 1991.
13. Guadagni, F., Roselli, M., and Hoffman, R.M. Maintenance of expression of tumor antigens in three-dimensional *in vitro* human tumor gel-supported histoculture. Anticancer Res. **11**, 543-546, 1991.
14. Baibakov, B., Frank, G.A., Sergeeve, N., Youngkin, T., Connors, K.M., Hoffman, R.M., and Margolis, L.B. *In vivo* growth patterns of human lung tumors in three-dimensional histoculture. In Vitro Cell. Dev. Biol. **27A**, 897-899, 1991.
15. Furukawa, T., Kubota, T., Watanabe, M., Takahara, T., Yamaguchi, H., Takeuchi, T., Kase, S., Kodaira, S., Ishibiki, K., Kitajima, M., and Hoffman, R.M. High *in vitro*-*in vivo* correlation of drug response using sponge-gel-supported three-dimensional histoculture and the MTT end point. Int. J. Cancer **51**, 489-498, 1992.
16. Guo, H.Y., Colangelo, D., Li, L., Connors, K.M., Kubota, T., and Hoffman, R.M. *In vitro* histoculture of human tumors with fluorescent dye end-points measured by confocal microscopy: high correlation of *in vitro* and *in vivo* chemosensitivity. Anticancer Research **12**, 1055-1061, 1992.
17. Guadagni, F., Li, L., and Hoffman, R.M. Targeting antibodies to live tumor tissue in 3-D histoculture. In Vitro Cell. Dev. Biol. **28A**, 297-299, 1992.

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

18. Colangelo, D., Guo, H-Y., Silvestro, L., and Hoffman, R.M. Noncolorimetric measurement of cell activity in three-dimensional histoculture using the tetrazolium dye 3-(4,5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide: the pixel image analysis of formazan crystals. *Anal. Biochem.* **205**, 8-13, 1992.
19. Slocum, H.K., Toth, K., Li, L., Chang, S.G., Hoffman, R.M., and Rustum, Y.M. Long-term passage of human tissues *in vitro* as three-dimensional histolines. *In Vitro Cell. Dev. Biol.* **28A**, 573-577, 1992.
20. Colangelo, D., Guo, Y.H., Connors, K.M., Kubota, T., Silvestro, L., and Hoffman, R.M. Correlation of drug response in human tumors histocultured *in vitro* with an image-analysis MTT end point and *in vivo* xenografted in nude mice. *Anticancer Res.* **12**, 1373-1376, 1992.
21. Geller, J., Sionit, L.R., Connors, K.M., and Hoffman, R.M. Measurement of androgen sensitivity in the human prostate in *in vitro* three-dimensional histoculture. *The Prostate* **21**, 269-278, 1992.
22. Chang, S.G., Slocum, H., Toth, K., Hoffman, R.M., Perrapato, S.D., Huben, R.P., and Rustum, Y.M. Glucose consumption end point in primary histoculture indicates recovery of human tumors from drug treatment. *In Vitro Cell. Dev. Biol.* **28A**, 585-587, 1992.
23. Hoffman, R.M. HistoCulture and the immunodeficient mouse come to the cancer clinic: Rational approaches to individualizing cancer therapy and new drug evaluation (Review). *International Journal of Oncology* **1**, 467-474, 1992.
24. Hoffman, R.M. To do tissue culture in two or three dimensions? That is the question. *Stem Cells* **11**, 105-111, 1993.
25. Theodorescu, D., Connors, K.M., Groce, A., Hoffman, R.M., and Kerbel, R.S. Lack of influence of c-Ha-ras expression on the drug sensitivity of human bladder cancer histocultured in three dimensions. *Anticancer Res.* **13**, 941-946, 1993.
26. Hoffman, R.M. *In vitro* assays for chemotherapy sensitivity. *Crit. Rev. in Onc/Hem.* **15**, 99-111, 1993.
27. Geller, J., Sionit, L.R., Connors, K.M., Youngkin, T., and Hoffman, R.M. Expression of prostate-specific antigen in human prostate specimens in *in vitro* three dimensional histoculture. *In Vitro Cell. Dev. Biol.* **29A**, 523-524, 1993.
28. Chang, S.G., Chai, S.E., Kim, E.S., Yoon, C., Joo, H.Z., and Hoffman, R.M. The measurement of glucose consumption in histoculture to determine effects of doxorubicin and cisplatin on human gastric carcinoma. *Anticancer Res.* **13**, 1303-1310, 1993.
29. Tanino, H., Kubota T., Saikawa, Y., Kuo, T-H., Takeuchi, T., Kase, S., Furukawa, T., Kitajima, M., Sakurai, T., Naito, Y., and Hoffman, R.M. Different chemo- and endocrino-sensitivity of MCF-7 cells with or without estradiol supplement *in vitro*. *Anticancer Res.* **13**, 1219-1221, 1993.
30. Robbins, K.T., Connors, K.M., Storniolo, A.M., Hanchett, C., and Hoffman, R.M. Sponge-gel-supported histoculture drug-response assay for head and neck cancer. Correlations with clinical response to cisplatin. *Arch. Otolaryngol. Head Neck Surg.* **120**, 288-292, 1994.
31. Chang, S.G., Lee, J.H., Hong, D.H., Lee, H.Y., Chai, S.E. and Hoffman, R.M. Comparison of glucose-consumption and thymidine-incorporation endpoints on histocultured human superficial bladder tumor. *Anticancer Res.* **14**, 77-83, 1994.
32. Hoffman, R.M. The three-dimensional question: can clinically relevant tumor drug resistance be measured *in vitro*? *Cancer and Metastasis Reviews* **13**, 169-173, 1994.
33. Geller, J., Sionit, L. R., Baird, A., Kohls, R., Connors, K.M., and Hoffman, R.M. *In vivo* and *in vitro* effects of androgen on fibroblast growth factor-2 concentrations in the human prostate. *The Prostate* **25**, 206-209, 1994.
34. Furukawa, T., Kubota, T., Hoffman, R.M. Clinical applications of the histoculture drug response assay. *Clinical Cancer Research* **1**, 305-311, 1995.

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

35. Kubota, T., Sasano, N., Abe, O., Nakao, I., Kawamura, E., Saito, T., Endo, M., Kimura, K., Demura, H., Sasano, H., Nagura, H., Ogawa, N., and Hoffman, R.M. Potential of the histoculture drug response assay to contribute to cancer patient survival. *Clinical Cancer Research* **1**, 1537-1543, 1995.
36. Hoffman, R.M. In vitro drug response assays for entry into the rational era cancer chemotherapy. *Human Cell* **8**, Japan Human Cell Society, 131-148, 1995.
37. Hoffman, R.M. Can *in vitro* drug response assays be clinically useful? Problems and solutions. *Biotherapy* **10**, 822-842, 1996.
38. Chang, S-G., Jung, J-C., Rho, Y-S., Huh, J-S., Kim, J-I., and Hoffman, R.M. Efficacy of the platinum analog {Pt(cis-dach)(DPPE)-2NO₃} on histocultured human patient bladder tumors and cancer cell lines. *Anticancer Res.* **16**, 3423-3428, 1996.
39. Chang, S-G., Lee, S.J., Lee, S-J., Kim, J.I., Jung, J-C, Kim, J.H., and Hoffman, R.M. Interleukin-6 production in primary histoculture by normal human kidney and renal tumor tissues. *Anticancer Res.* **17**, 113-115, 1997.
40. Geller, J., Partido, C., Sionit, L., Youngkin, T., Nachtsheim, D., Espanol, M., Tan, Y., and Hoffman, R.M. Comparison of androgen-independent growth and androgen-dependent growth in BPH and cancer tissue from the same radical prostatectomies in sponge-gel matrix histoculture. *The Prostate* **31**, 250-254, 1997.
41. Hoffman, R.M. Taking chemotherapy from random to rational with the histoculture drug response assay. *Jpn. J. Cancer Chemother.* **24**, 206-229, 1997.
42. Chishima, T., Miyagi, Y., Li, L., Tan, Y., Baranov, E., Yang, M., Shimada, H., Moossa, A.R., and Hoffman, R.M. Use of histoculture and green fluorescent protein to visualize tumor cell host interaction. *In Vitro Cell. Dev. Biol. – Anim.* **33**, 745-747, 1997.
43. Geller, J., Sionit, L., Partido, C., Li, L., Tan, X-Y., Youngkin, T., Nachtsheim, D., and Hoffman, R.M. Genistein inhibits the growth of human-patient BPH and prostate cancer in histoculture. *The Prostate* **34**, 75-79, 1998.
44. Hoffman, R.M. Three-dimensional sponge-gel matrix histoculture of human tumors: Methods and applications. *In: Cell Biology: A Laboratory Handbook*, pgs. 367-379. Celis, J., ed. San Diego: Academic Press, 1994.
45. Chishima, T., Yang, M., Miyagi, Y., Li, L., Tan, Y., Baranov, E., Shimada, H., Moossa, A.R., Penman, S., Hoffman, R.M. Governing step of metastasis visualized *in vitro*. *Proc. Natl. Acad. Sci. USA* **94**, 11573-11576, 1997.
46. Hoffman, R.M. Three-dimensional sponge-gel matrix histoculture of human tumors: Methods and applications. *In: Cell Biology: A Laboratory Handbook*, 2nd edition, vol. 1, pgs. 377-389. Celis, J., ed. San Diego: Academic Press, 1998.
47. Olbina, G., Miljkovic, D., Hoffman, R.M., and Geller, J. New sensitive discovery histoculture model for growth-inhibition studies in prostate cancer and BPH. *The Prostate* **37**, 126-129, 1998.
48. Haran, C. Custom chemo. *MAMM*, 49-53, September/October 1999.
49. Hoffman, R.M. The clinical benefit of the HistoCulture Drug Response Assay. *Jpn. J. Cancer Chemother. (Gan To Kagaku Ryoho)* **27** Suppl. 2, 321-322, 2000.
50. Ohie, S., Udagawa, Y., Kozu, A., Komuro, Y., Aoki, D., Nozawa, S., Moossa, A.R., and Hoffman, R.M. Cisplatin sensitivity of ovarian cancer in the histoculture drug response assay correlates to clinical response to combination chemotherapy with cisplatin, doxorubicin, and cyclophosphamide. *Anticancer Research* **20**, 2049-2054, 2000.
51. Furukawa, T., Kubota, T., Tanino, H., Oura, S., Yuasa, S., Murate, H., Morita, K., Kozakai, K., Yano, T., and Hoffman, R.M. Chemosensitivity of breast cancer lymph node metastasis compared to the primary tumor from individual patients tested in the histoculture drug response assay. *Anticancer Research* **20**, 3657-3658, 2000.

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

52. Tanino, H., Oura, S., Hoffman, R.M., Kubota, T., Furukawa, T., Arimoto, J., Yoshimasu, T., Hirai, I., Bessho, T., Suzuma, T., Sakurai, T., and Naito, Y. Acquisition of multidrug resistance in recurrent breast cancer demonstrated by the histoculture drug response assay. *Anticancer Res.* **21**, 4083-4086, 2001.
53. Hoffman, R.M. HistoCultures and Organ Cultures. In: *Encyclopedia of Life Sciences*, <http://www.els.net>. London: Nature Publishing Group, 2001.
54. Singh, B., Li, R., Xu, L., Poluri, A., Patel, S., Shah, A.R., Pfister, D., Sherman, E., Hoffman, R.M., Shah, J. Prediction of survival in patients with head and neck cancer using the histoculture drug response assay. *Head and Neck* **24**, 437-442, 2002.
55. Flowers, J.L., Hoffman, R.M., Driscoll, T.A., Wall, M.E., Wani, M.C., Manikumar, G., Friedman, H.S., Dewhirst, M., Colvin, O.M., Adams, D.J. The activity of camptothecin analogues is enhanced in histocultures of human tumors and human tumor xenografts by modulation of extracellular pH. *Cancer Chemotherapy and Pharmacology* **52**, 253-261, 2003.
56. Hoffman, R.M. HistoCultures and their use. In: *Encyclopedia of Life Sciences*. John Wiley and Sons, Ltd.: Chichester, 2010, Published Online. DOI: 10.1002/9780470015902.a0002573.pub2.
57. Kolostova, K., Pinterova, D., Hoffman, R.M., and Bobek, V. Circulating human prostate cancer cells from an orthotopic mouse model rapidly captured by immunomagnetic beads and imaged by GFP expression. *Anticancer Res.* **31**, 1535-1539, 2011.
58. Hu M, Zhao M, An C, Yang M, Li Q, et al. Real-time imaging of apoptosis induction of human breast cancer cells by the traditional Chinese medicinal herb tubeimu. *Anticancer Res* **32**: 2509-2514, 2012.
59. Jung, P.S., Kim, D.Y., Kim, M.B., Lee, S.W., Kim, J.H., Kim, Y.M., Kim, Y.T., Hoffman, R.M., and Nam, J.H. Progression-free survival is accurately predicted in patients treated with chemotherapy for epithelial ovarian cancer by the histoculture drug response assay in a prospective correlative clinical trial at a single institution. *Anticancer Res.* **33**, 1029-1034, 2013.
60. Mii, S., Duong, J., Tome, Y., Uchugonova, A., Liu, F., Amoh, Y., Saito, N., Katsuoka, K., and Hoffman, R. M. The role of hair follicle nestin-expressing stem cells during whisker sensory-nerve growth in long-term 3D culture. *J. Cell. Biochem.* **114**, 1674-1684, 2013.
61. Hoffman, R.M. Tissue Culture. In: *Brenner's Encyclopedia of Genetics*, 2nd Ed., Vol. 7, pp. 73-76. Elsevier, 2013.
62. Mii, S., Uehara, F., Yano, S., Tran, B., Miwa, S., Hiroshima, Y., Amoh, Y., Katsuoka, K., and Hoffman, R. M. Nestin-expressing stem cells promote nerve growth in long-term 3-dimensional Gelfoam®-supported histoculture. *PLoS One*, **8**, e67153, 2013.
62. Yano, S., Miwa, S., Mii, S., Hiroshima, Y., Uehara, F., Yamamoto, M., Kishimoto, H., Tazawa, H., Bouvet, M., Fujiwara, T., and Hoffman, R.M. Invading cancer cells are predominantly in G₀/G₁ resulting in chemoresistance demonstrated by real-time FUCCI imaging. *Cell Cycle* **13**, 953-960, 2014.
64. Mii, S., Amoh, Y., Katsuoka, K., and Hoffman, R. M. Comparison of nestin-expressing multipotent stem cells in the tongue fungiform papilla and vibrissa hair follicle. *J. Cell. Biochem.* **115**, 1070-1076, 2014.
65. Tome, Y., Uehara, F., Mii, S., Yano, S., Zhang, L., Sugimoto, N., Maehara, H., Bouvet, M., Tsuchiya, H., Kanaya, F., and Hoffman, R.M. 3-dimensional tissue is formed from cancer cells in vitro on Gelfoam®, but not on Matrigel™. *J. Cell. Biochem.* **115**, 1362-1367, 2014.
66. Uehara, F., Miwa, S., Tome, Y., Hiroshima, Y., Yano, S., Yamamoto, M., Efimova, E., Matsumoto, Y., Maehara, H., Bouvet, M., Kanaya, F., and Hoffman, R.M. Comparison of UVB and UVC effects on the DNA damage-response protein 53BP1 in human pancreatic cancer. *J. Cell. Biochem.* **115**, 1724-1728, 2014.
67. Kim, K.Y., Chung, B.W., Yang, I., Kim, M.B., and Hoffman, R.M. Independence of cytotoxic drug sensitivity profiles and receptor subtype of invasive ductal breast carcinoma demonstrated by the histoculture drug response assay (HDRA). *Anticancer Research* **34**, 7197-7202, 2014.

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

68. Zhang, L., Wu, C., Bouvet, M., Yano, S., and Hoffman, R.M. Traditional Chinese medicine herbal mixture LQ arrests FUCCI-expressing HeLa cells in G0/G1 phase in 2D plastic, 2.5D Matrigel®, and 3D Gelfoam® culture visualized with FUCCI imaging. *Oncotarget* **6**, 5292-5298, 2015.
69. Cao, W., Li, L., Tran, B., Kajiura, S., Amoh, Y., Liu, F., Hoffman, R.M. Extensive hair shaft growth after mouse whisker follicle isolation, cryopreservation and transplantation in nude mice. *PLoS One* **10**, e0145997, 2015.
70. Yano, S., Miwa, S., Mii, S., Hiroshima, Y., Uehara, F., Kishimoto, H., Tazawa, H., Zhao, M., Bouvet, M., Fujiwara, T., and Hoffman, R.M. Cancer cells mimic *in vivo* spatial-temporal cell-cycle phase distribution and chemosensitivity in 3-dimensional Gelfoam® histoculture but not 2-dimensional culture as visualized with real-time FUCCI imaging. *Cell Cycle* **14**, 808-819, 2015.
71. Yano, S., Takehara, K., Miwa, S., Kishimoto, H., Tazawa, H., Urata, Y., Kagawa, S., Bouvet, M., Fujiwara, T., and Hoffman, R.M. GFP labeling kinetics of triple-negative human breast cancer by a killer-reporter adenovirus in 3D Gelfoam® histoculture. *In Vitro Cell. Dev. Biol. Anim.* **53**, 479-482, 2017.
72. Kiyuna, T., Tome, Y., Uehara, F., Murakami, T., Zhang, Y., Zhao, M., Kanaya, F., Hoffman, R.M. Tumor-targeting *Salmonella typhimurium* A1-R inhibited osteosarcoma angiogenesis in the *in vivo* Gelfoam® assay visualized by color-coded imaging. *Anticancer Research Anticancer Research* **38**, 159-164, 2018.
73. Hoffman, R.M., ed. 3D Sponge Matrix HistoCulture. Hoffman, R.M., ed. Molecular in Molecular Biology. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
74. Hoffman, R.M. Preface: The dawn of tissue culture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, ix-xii. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
75. Hoffman, R.M. Chapter 1: In Memorium: Joseph Leighton 1921-1999, Father of 3-Dimensional Tissue Culture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 1-9. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
76. Hoffman, R.M. Chapter 2: 3D Sponge-matrix HistoCulture: An Overview. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 11-17. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
77. Hoffman, R.M. Chapter 3: *In vivo*-like Growth Patterns of Multiple Types of Tumors in Gelfoam® HistoCulture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 19-28. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
78. Hoffman, R.M., Guadagni, F. Chapter 4: Expression and Targeting of Tumor Markers in Gelfoam® HistoCulture: Potential Individualized Assays for Immuno-oncology. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 29-37. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
79. Hoffman, R.M., Vescio, R.A. Chapter 5: Development of the HistoCulture Drug Response Assay (HDRA). *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 39-48. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
80. Hoffman, R.M. Chapter 6: Diagnosis and Pathological Analysis of Patient Cancers by Detection of Proliferating Cells in Gelfoam® HistoCulture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 49-60. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
81. Hoffman, R.M. Chapter 7: Clinical Correlation of the HistoCulture Drug Response Assay in Gastrointestinal Cancer. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 61-72. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

82. Hoffman, R.M., Jung, P.S., Kim, M.B., Nam, J-H. Chapter 8: Prospective Clinical Correlation of the HistoCulture Drug Response Assay for Ovarian Cancer. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 73-81. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
83. Hoffman, R.M. Chapter 9: Clinical Correlation of the HistoCulture Drug Response Assay for Head and Neck Cancer. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 83-92. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
84. Hoffman, R.M., Tanino, H. Chapter 10: Clinical Usefulness of the HistoCulture Drug Response Assay for Breast Cancer. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 93-100. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
85. Hoffman, R.M. Chapter 11: Clinical Usefulness of the HistoCulture Drug Response Assay for Prostate Cancer and Benign Prostate Hypertrophy (BPH). *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 101-107. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
86. Hoffman, R.M., Yano, S. Chapter 12: In vivo-like Cell Cycle Phase Distribution of Cancer Cells in Gelfoam® HistoCulture Observed in Real-time by FUCCI Imaging. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 109-123. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
87. Hoffman, R.M. Chapter 13: Methionine Dependency Determination of Human Patient Tumors in Gelfoam® HistoCulture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 125-131. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
88. Hoffman, R.M., Li, L. Chapter 14: Hair-shaft growth in Gelfoam® histoculture on skin and isolated hair follicles. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 133-144. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
89. Liu, F., Hoffman, R.M. Chapter 15: HistoCulture of hair-follicle-associated pluripotent (HAP) stem cells in Gelfoam® histoculture for use in spinal cord repair. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 145-162. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
90. Hoffman, R.M., Mii, S., Duong, J., Amoh, Y. Chapter 16: Nerve growth and interaction in Gelfoam® histoculture: A nervous system organoid. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 163-186. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
91. Miwa, S., Hoffman, R.M. Chapter 18: Imaging DNA Repair after UV Irradiation Damage of Cancer Cells in Gelfoam® HistoCulture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 199-203. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
92. Tome, Y., Uehara, F., Kanaya, F., Hoffman, R.M. Chapter 19: Comparison of “Dimensionality” of Cancer Cell Culture in Gelfoam® HistoCulture and Matrigel. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 205-214. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
93. Hoffman, R.M., Chishima, T. Chapter 20: Imaging the governing step of metastasis in Gelfoam® histoculture. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 215-220. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
94. Hoffman, R.M. Afterward: Organoid culture: Going backward in order to go forward. *In: 3D Sponge Matrix HistoCulture*. Hoffman, R.M., ed. Molecular in Molecular Biology, 221-226. Walker, John M., series editor. Humana Press (Springer

AntiCancer, Inc.
HDRA®/3-D Gelfoam® Sponge Matrix HistoCulture

Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.

95. Hoffman, R.M. Epilogue. In: 3D Sponge Matrix HistoCulture. Hoffman, R.M., ed. Molecular in Molecular Biology, 227-229. Walker, John M., series editor. Humana Press (Springer Science+Business Media New York), 2018. ISBN: 978-1-4939-7743-7.
96. Jun, E., Park, Y., Lee, WY., Kwon J., Kim, MB., Lee, JS., Song, KB., Hwang, DW., Lee, JH., Hoffman, RM., Kim, SC. The identification of candidate effective combination regimens for pancreatic cancer using the histoculture drug response assay. Scientific Reports, 10, 12004, 2020.